



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product 30205 - Pyrogallol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% - [87-66-1]
Batch No 8167596
Analysis Date 24-Jun-2024
Date of Manufacture June 2024
Expiry Date/Re-Test Date June 2029
Molecular Formula C6H6O3
Molecular Weight 126.11

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP, BP, Ph.Eur	Passes
Appearance (Colour)	White to off-white	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 5% aq. solution	Clear	Clear
Assay (GC)	min. 99%	99.9%
pH (1% aq. solution)	4.0 - 6.0	5.22
Sulphated Ash	max. 0.005%	0.002%
Melting Point	132 - 134°C	133.8°C
Chloride (Cl)	max. 0.001%	Passes
Sulphate (SO4)	max. 0.002%	Passes
Iron (Fe)	max. 0.001%	Passes
Heavy Metals (Pb)	max. 0.0005%	Passes

FRM/82/11/4/30205 Rev No. 3 Date 17/06/2024

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.