



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**74322 - Deoxyribonucleic Acid Free Acid (DNA) ex. Fish
Sperm - [100403-24-5]**

Batch No

8174323

Analysis Date

11-Apr-2024

Date of Manufacture

April 2024

Expiry Date/Re-Test Date

April 2029

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to cream	Cream
Appearance (Form)	Powder	Powder
Absorbance (A) of 1% solution (pH 7.0) in a 1 cm cell v/s buffer		
@260nm	160 -210	205
Electrophoresis test	Passes test	Passes

FRM/82/11/4/74322 Rev No. 1 Date 01/11/2015

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company