



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>67514 - Zinc Chloride for tissue culture, 98% - [7646-85-7]</b>
<b>Batch No</b>	<b>8186686</b>
<b>Analysis Date</b>	25-May-2024
<b>Date of Manufacture</b>	May 2024
<b>Expiry Date/Re-Test Date</b>	May 2029
<b>Molecular Formula</b>	ZnCl <sub>2</sub>
<b>Molecular Weight</b>	136.29

Test Parameters	Standards	Actual Results
Appearance (Colour)	White deliquescent	White deliquescent
Appearance (Form)	Granular powder	Granular powder
Assay (EDTA Titration)	min. 98%	98.2%
Iron (Fe)	max. 0.005%	Passes
Heavy Metals (Pb)	max. 0.005%	Passes
Suitability for Tissue Culture	Passes	Passes

FRM/82/11/4/67514 Rev No. 1 Date 09/18/2018

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.