



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	57730 - Benzhydramine pure, 97% - [91-00-9]
Batch No	8232182
Analysis Date	06-Feb-2019
Date of Manufacture	February 2019
Expiry Date/Re-Test Date	February 2024
Molecular Formula	C13H13N
Molecular Weight	183.25

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Pale yellow	Pale yellow
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 97%	99.52%
Density (g/ml) @ 20°C	1.064 - 1.065	1.064
Refractive Index (20°C)	1.595 -1.596	1.595
Water (KF)	max. 0.2%	0.12%

FRM/82/11/2/57730 Rev No. 1 Date 12/06/2017

Prepared by **Rajashri**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.