



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	79510 - 1,2-Dichloroethane extrapure, 99% - [107-06-2]
Batch No	8379612
Analysis Date	17-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C ₂ H ₄ Cl ₂
Molecular Weight	98.96

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.92%
Density (g/ml) @ 20°C	1.252-1.254	1.252
Refractive Index (20°C)	1.443-1.445	1.443
Boiling Range	82-84°C	82-84°C
Free Chlorine (Cl)	max. 0.002%	Passes
Water (KF)	max. 0.1%	0.04%

FRM/82/11/2/79510 Rev No. 1 Date 01/11/2015

Prepared by Rganesh

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.