



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	14653 - Streptozotocin (STZ) extrapure, 98% - [18883-66-4]
Batch No	8813835
Analysis Date	04-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2029
Molecular Formula	C ₈ H ₁₅ N ₃ O ₇
Molecular Weight	265.22

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white to pale yellow	Off-white
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (HPLC)	min. 98.0%	99.7%
Melting Point	~121°C	121°C
Not for medicinal use	.	

FRM/82/11/4/14653 Rev No. 3 Date 09/02/2023

Prepared by **ThakurRohit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.