



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	74725 - Sodium Sulphate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% - [7757-82-6]
Batch No	8875509
Analysis Date	07-Apr-2024
Date of Manufacture	April 2024
Expiry Date/Re-Test Date	April 2029
Molecular Formula	Na ₂ SO ₄
Molecular Weight	142.04

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP, BP	Passes
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (Ion exchange)	min. 99.5%	99.7%
Insoluble matter	max. 0.005%	0.003%
pH (5% aq. solution)	5.5 - 8.0	6.18
Loss on ignition	max. 0.5%	0.3%
Chloride (Cl)	max. 0.001%	Passes
Phosphate (PO ₄)	max. 0.001%	Passes
Iron (Fe)	max. 0.0002%	Passes
Heavy Metals (Pb)	max. 0.0005%	Passes
Copper (Cu)	max. 0.0002%	Passes
Calcium (Ca)	max. 0.005%	Passes
Potassium (K)	max. 0.01%	Passes
Magnesium (Mg)	max. 0.005%	Passes
Nitrogen Compounds (N)	max. 0.0005%	Passes
Oxidising substances	no reaction	Passes
Reducing Substances	max. 0.002%	Passes

FRM/82/11/4/74725 Rev No. 2 Date 06/07/2022

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.