



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**69337 - Silicon Dioxide (Silica) Nanodispersion Type B
(20nm), 40% in water - [7631-86-9]**

Batch No

8956005

Analysis Date

26-Feb-2024

Date of Manufacture

February 2024

Expiry Date/Re-Test Date

February 2025

Molecular Formula

SiO₂

Molecular Weight

60.08

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Hazy	Hazy
Appearance (Form)	Colloidal dispersion	Colloidal dispersion
APS	20nm	Passes
Viscosity (20°C)	13 cps	Passes
pH	~ 10.00	9.9
Concentration	40% in water	Passes

FRM/82/11/4/69337 Rev No. 2 Date 07/02/2022

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.