



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>90544 - Trichloroacetic Acid extrapure, 99% - [76-03-9]</b>
<b>Batch No</b>	<b>9007180</b>
<b>Analysis Date</b>	13-Jun-2024
<b>Date of Manufacture</b>	June 2024
<b>Expiry Date/Re-Test Date</b>	June 2029
<b>Molecular Formula</b>	C <sub>2</sub> HO <sub>2</sub> Cl <sub>3</sub>
<b>Molecular Weight</b>	163.39

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Very hygroscopic crystals	Very hygroscopic crystals
Solubility (Turbidity) 100% aq. solution	Clear	Clear
Solubility (Colour) 100% aq. solution	Colourless	Colourless
Assay (by Neutralization)	min. 99%	99.8%
Melting Point	55 - 58°C	58°C
Sulphated Ash	max. 0.02%	0.02%
Chloride (Cl)	max. 0.02%	Passes
Sulphate (SO <sub>4</sub> )	max. 0.02%	Passes
Iron (Fe)	max. 0.002%	Passes

FRM/82/11/4/90544 Rev No. 2 Date 05/07/2022

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.