



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	25828 - Miconazole Nitrate (MCN)extrapure, 98% - [22832-87-7]
Batch No	9009318
Analysis Date	02-Dec-2023
Date of Manufacture	December 2023
Expiry Date/Re-Test Date	December 2028
Molecular Formula	C ₁₈ H ₁₄ Cl ₄ N ₂ O·HNO ₃
Molecular Weight	479.15

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	White
Appearance (Form)	Powder	Powder
Assay (NT)	min. 98%	99.5%
Melting Point	178 - 185°C	184.3°C
Not for medicinal use	.	

FRM/82/11/4/25828 Rev No. 2 Date 14/11/2022

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.