



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**23845 - Casein acc. to Hammarsten, 95% Protein -
[9000-71-9]**

Batch No

9029221

Analysis Date

09-Jul-2024

Date of Manufacture

July 2024

Expiry Date/Re-Test Date

July 2029

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Fine powder	Fine powder
Assay (ex N)	min. 95% protein (dry basis)	96.1%
Loss on drying	max. 6%	2.6%
Sulphated Ash	max. 1%	0.7%
Fat	max. 0.2%	0.06%
Acidity (Lactic acid)	max. 0.1%	0.06%
Alkali solubility	Passes test	Passes
Suitability as enzyme Substrate	Passes test	Passes

FRM/82/11/4/23845 Rev No. 1 Date 01/11/2015

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.