



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	68894 - PreStained Blue Protein Marker: 14 - 66kDa
Batch No	9041701
Analysis Date	31-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2025

Test Parameters	Standards	Actual Results
Appearance (Form)	Liquid	Liquid
Appearance (Colour)	Blue	Blue
Electrophoresis test	Electrophoresis of 10ul of the prestained protein molecular weight marker in a 13%(w/v) Tris glycine SDS gel should resolve 6 individual bands of equal	Conforms
Protein Marker Range	14-66 kDa	Conforms
Stability	No obvious degradation was seen after incubation at room temperature for 1 week	Conforms
Storage	-20°C	Maintained

FRM/82/11/5/68894 Rev No. 1 Date 01/02/2020

Prepared by KalaiSelvi

In compliance with the standard specifications of SRL

Plant Site 3 : No. 21, Thomas Nagar, Little Mount, Chennai - 600 015, India.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.