



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	19241 - n-Heptane extrapure, 99% - [142-82-5]
Batch No	9075776
Analysis Date	24-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C7H16
Molecular Weight	100.20

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.48%
Density (g/ml) @ 20°C	0.683-0.684	0.683
Refractive Index (20°C)	1.387-1.388	1.387
Boiling Range	98-99°C	98-99°C
Acidity (CH ₃ COOH)	max. 0.002%	0.0004%
Water (KF)	max. 0.05%	0.02%

FRM/82/11/2/19241 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.