



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product**

**49462 - Linoleic Acid Methyl Ester Reference  
Standard, 99%(GC) - [112-63-0]**

**Batch No**

**9076890**

**Analysis Date**

28-Sep-2022

**Date of Manufacture**

September 2022

**Expiry Date/Re-Test Date**

September 2027

**Molecular Formula**

C19H34O2

**Molecular Weight**

294.48

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Pale yellow
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.1%
Density (g/ml) @ 20°C	0.887 - 0.889g	0.888g
Refractive Index (20°C)	1.466 - 1.467	1.466

FRM/82/11/4/49462 Rev No. 1 Date 01/11/2015

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.