



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>41030 - Polyvinylpyrrolidone K30 (Povidone, PVP K-30) - [9003-39-8]</b>
<b>Batch No</b>	<b>9108245</b>
<b>Analysis Date</b>	25-Feb-2024
<b>Date of Manufacture</b>	February 2024
<b>Expiry Date/Re-Test Date</b>	February 2029
<b>Molecular Formula</b>	(C <sub>6</sub> H <sub>9</sub> NO) <sub>x</sub>
<b>Molecular Weight</b>	~40000

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off - white	Off - white
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Nitrogen (N) content	11.5 - 12.5%	11.8%
pH (5% aq. solution)	3.0 - 7.0	3.67
K-value	~ 30	30.01

FRM/82/11/4/41030 Rev No. 1 Date 01/11/2015

Prepared by Amruta

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.