



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	43786 - Maltotriose (DP3) extrapure, 90% - [1109-28-0]
Batch No	9115023
Analysis Date	03-Aug-2022
Date of Manufacture	August 2022
Expiry Date/Re-Test Date	August 2027
Molecular Formula	C ₁₈ H ₃₂ O ₁₆
Molecular Weight	504.44

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	Off-white
Appearance (Form)	Crystalline powder	Crystalline powder
Assay	min. 90%	92.1%
Specific rotation [α]	+164° to +166° (C=3, Water)	+165°
Water (KF)	max. 5%	2.4%

FRM/82/11/4/43786 Rev No. 3 Date 13/08/2020

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)