



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>54290 - Trichloroacetic Acid 20% solution - [76-03-9]</b>
<b>Batch No</b>	<b>9127091</b>
<b>Analysis Date</b>	26-Dec-2023
<b>Date of Manufacture</b>	December 2023
<b>Expiry Date/Re-Test Date</b>	December 2026
<b>Molecular Formula</b>	C <sub>2</sub> H <sub>2</sub> O <sub>2</sub> Cl <sub>3</sub>
<b>Molecular Weight</b>	163.39

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Suitability as Reagent for Protein precipitation	Passes test	Passes

FRM/82/11/4/54290 Rev No. 1 Date 30/06/2020

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.