



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product

**42428 - Acriflavine Neutral for molecular biology, 98%
- [8048-52-0]**

Batch No

9129360

Analysis Date

14-Sep-2022

Date of Manufacture

September 2022

Expiry Date/Re-Test Date

September 2027

Molecular Formula

C₁₄H₁₄ClN₃

Molecular Weight

259.73

| Test Parameters | Standards | Actual Results |
|---------------------|---------------------|----------------|
| Appearance (Colour) | Orange to Red brown | Red brown |
| Appearance (Form) | Powder | Powder |
| Assay (UV) | min. 98% | 98.4% |

FRM/82/11/4/42428 Rev No. 2 Date 15/09/2022

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.