



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>15034 - Reactive Red 21 (Remazol Red BB) - [11099-79-9]</b>
<b>Batch No</b>	<b>9145225</b>
<b>Analysis Date</b>	27-Aug-2023
<b>Date of Manufacture</b>	August 2023
<b>Expiry Date/Re-Test Date</b>	August 2028
<b>Molecular Formula</b>	C <sub>26</sub> H <sub>19</sub> N <sub>4</sub> Na <sub>3</sub> O <sub>15</sub> S <sub>4</sub>
<b>Molecular Weight</b>	824.68

Test Parameters	Standards	Actual Results
Appearance (Colour)	Dark red	Dark red
Appearance (Form)	Powder	Powder
Assay	min. 98%	98.2%

FRM/82/11/4/15034 Rev No. 1 Date 09/08/2020

Prepared by **Mayur**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.