



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>76516 - M-MLV (Recombinant)</b>
<b>Batch No</b>	<b>9264776</b>
<b>Analysis Date</b>	13-Jul-2022
<b>Date of Manufacture</b>	July 2022
<b>Expiry Date/Re-Test Date</b>	July 2024

Test Parameters	Standards	Actual Results
Appearance (Form)	Liquid	Liquid
Appearance (Colour)	Colourless	Colourless
Appearance (Clarity)	Clear	Clear
Absence of nucleases	Tested using relevant procedures	Conforms
Amplification capability	Tested by RT-PCR	Conforms
Storage	-20°C	Maintained

FRM/82/11/5/76516 Rev No. 1 Date 30/07/2020

Prepared by KalaiSelvi

In compliance with the standard specifications of SRL

Plant Site 3 : No. 21, Thomas Nagar, Little Mount, Chennai - 600 015, India.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)