



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product**

**84336 - Calcium Chloride Fused pure, 90-95% -  
[10043-52-4]**

**Batch No**

**9268934**

**Analysis Date**

27-Mar-2024

**Date of Manufacture**

March 2024

**Expiry Date/Re-Test Date**

March 2029

**Molecular Formula**

CaCl<sub>2</sub>

**Molecular Weight**

110.99

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	White
Appearance (Form)	Granular compound with few lumps	Granular compound with few lumps
Assay (EDTA Titration)	90 - 95%	94.4%
Loss on drying	max. 5%	1.1%

FRM/82/11/4/84336 Rev No. 1 Date 08/22/2017

Prepared by **Mayur**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.