



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**52775 - Sodium Alginate HV extrapure, 1000cps,
100mesh - [9005-38-3]**

Batch No

9289522

Analysis Date

08-May-2024

Date of Manufacture

May 2024

Expiry Date/Re-Test Date

May 2029

Test Parameters

Standards

Actual Results

Appearance (Colour)

White to off-white

White

Appearance (Form)

Powder

Powder

pH (1% aq. solution)

6.0 - 8.0

6.86

Loss on drying

max. 15%

13.5%

Ash

18 - 24%

22.7%

Viscosity (1% aq. at 25°C)

min. 1000cps

1100cps

Gelation Test

Passes test

Passes

Particle Size

-100 mesh

Passes

FRM/82/11/4/52775 Rev No. 1 Date 29/11/2021

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.