



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product 93883 - Brij-30® (Polyethylene Glycol Dodecyl Ether, Brij-L4) - [9002-92-0]
Batch No 9289563
Analysis Date 27-Jun-2024
Date of Manufacture June 2024
Expiry Date/Re-Test Date June 2029

| Test Parameters | Standards | Actual Results |
|----------------------|----------------|----------------|
| Appearance (Clarity) | Clear | Clear |
| Appearance (Colour) | Colourless | Colourless |
| Appearance (Form) | Viscous liquid | Viscous liquid |
| Acid value | max. 2.0 | 1.4% |
| Water (KF) | max. 1% | 0.5% |

FRM/82/11/4/93883 Rev No. 1 Date 07/22/2018

Prepared by Dhanashree

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.