



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product **35161 - 1,3-Dimethyl-2-Imidazolidinone (DMI) GC-HS, 99.9% - [80-73-9]**
Batch No **9374461**
Analysis Date 19-Jun-2024
Date of Manufacture June 2024
Expiry Date/Re-Test Date June 2029
Molecular Formula C5H10N2O
Molecular Weight 114.15

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99.9%	99.90%
Residual solvents		.
GC-HS Class 1	max. 1ppm	Passes
GC-HS Class 2	max. 10ppm	Passes
GC-HS Class 3	max. 50ppm	Passes
Density (g/ml) @ 20°C	1.055 - 1.057	1.055
Refractive Index (20°C)	1.471-1.472	1.471
Boiling Point	224°C	224°C
Water (KF)	max. 0.1%	0.03%

FRM/82/11/2/35161 Rev No. 2 Date 23/05/2022

Prepared by **Sujit**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.