



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	86220 - Alginic Acid pure, 19-25% - [9005-32-7]
Batch No	9407107
Analysis Date	09-Nov-2022
Date of Manufacture	November 2022
Expiry Date/Re-Test Date	November 2027
Molecular Formula	(C ₆ H ₈ O ₆) _n
Molecular Weight	~48000 - 186000

Test Parameters	Standards	Actual Results
Appearance (Colour)	Free flowing yellowish brown	Free flowing yellowish brown
Appearance (Form)	Powder	Powder
Assay (HCl titration)	19 - 25 %	19.3%
Loss on drying	max. 10%	9.9%
Residue on ignition	max. 3%	2.8%

FRM/82/11/4/86220 Rev No. 1 Date 01/11/2015

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)