



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	98512 - Hydrazine Dihydrochloride pure, 98% - [5341-61-7]
Batch No	9484025
Analysis Date	22-May-2024
Date of Manufacture	May 2024
Expiry Date/Re-Test Date	May 2029
Molecular Formula	H ₂ NNH ₂ .2HCl
Molecular Weight	104.97

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (AT)	min. 98.0%	98.4%
Melting Point	199 - 201°C	201°C

FRM/82/11/4/98512 Rev No. 3 Date 03/04/2024

Prepared by **ThakurRohit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.