



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	56073 - L-Proline for tissue culture, 99% - [147-85-3]
Batch No	9555609
Analysis Date	13-Aug-2022
Date of Manufacture	August 2022
Expiry Date/Re-Test Date	August 2027
Molecular Formula	C5H9NO2
Molecular Weight	115.13

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (NT)	min. 99%	99.4%
Specific rotation [α]	-85.5° to -84° (C=2,H2O)	-85.4°
Loss on drying	max. 0.5%	0.1%
Sulphated Ash	max. 0.1%	0.04%
Chloride (Cl)	max. 0.01%	Passes
Sulphate (SO4)	max. 0.01%	Passes
Iron (Fe)	max. 0.001%	Passes
Heavy Metals (Pb)	max. 0.001%	Passes
Ammonium (NH4)	max. 0.01%	Passes
Homogeneity by TLC	Passes test	Passes
Suitability for Tissue Culture	Passes test	Passes

FRM/82/11/4/56073 Rev No. 2 Date 23/06/2022

Prepared by PPatil

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.