



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	72232 - Chromium (III) Chloride Hexahydrate extrapure AR, 98% - [10060-12-5]
Batch No	9693313
Analysis Date	17-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2028
Molecular Formula	CrCl ₃ .6H ₂ O
Molecular Weight	266.45

Test Parameters	Standards	Actual Results
Appearance (Colour)	Dark green	Dark green
Appearance (Form)	Deliquescent compound	Deliquescent compound
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Green	Green
Assay (T)	min.98%	98.4%
pH (5% aq. solution)	2.0 -3.0	2.5

FRM/82/11/4/72232 Rev No. 3 Date 26/02/2023

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.