



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	70718 - Myristic Acid Methyl Ester Reference Standard, 99%(GC) - [124-10-7]
Batch No	9789301
Analysis Date	10-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C15H30O2
Molecular Weight	242.40

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay	min. 99%	99.5%
Density (g/ml) @ 20°C	0.866 - 0.867g/ml	0.866g/ml
Refractive Index (20°C)	1.434 - 1.437	1.436
Freezing Point	15° - 17°C	17°C

FRM/82/11/4/70718 Rev No. 1 Date 08/17/2017

Prepared by Jayesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.