



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	57432 - 4-Aminoantipyrine (Ampyrone) extrapure AR, 99% - [83-07-8]
Batch No	9939427
Analysis Date	08-Jan-2023
Date of Manufacture	January 2023
Expiry Date/Re-Test Date	January 2028
Molecular Formula	C ₁₁ H ₁₃ ON ₃
Molecular Weight	203.24

Test Parameters	Standards	Actual Results
Appearance (Colour)	Yellow to yellow brown	Yellow brown
Appearance (Form)	Crystal or powder	Powder
Solubility (Turbidity) 2% aq. hot solution	Clear	Clear
Solubility (Colour) 2% aq. hot solution	Yellowish brown	Yellowish brown
Assay (NT)	min. 99%	99.3%
Melting Point	107 -110°C	107.9°C
Sulphated Ash	max. 0.1%	0.06%
Sensitivity test for phenol	Passes test	Passes

FRM/82/11/4/57432 Rev No. 1 Date 26/09/2020

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.