



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	28605 - n-Amyl Alcohol (1-Pentanol) pure, 99% - [71-41-0]
Batch No	9964078
Analysis Date	29-Nov-2023
Date of Manufacture	November 2023
Expiry Date/Re-Test Date	November 2028
Molecular Formula	C ₅ H ₁₂ O
Molecular Weight	88.15

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.49%
Density (g/ml) @ 20°C	0.810-0.812	0.812
Refractive Index (20°C)	1.408-1.409	1.408
Boiling Range	136-138°C	136-138°C
Water (KF)	max. 0.2%	0.14%

FRM/82/11/2/28605 Rev No. 2 Date 13/09/2020

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)