

## **Safety Data Sheet**

Review Date: 4-Oct-2023

#### www.srlchem.com

### Section 1 - Chemical Product and Company Identification

Product Name	2-(3-Chlorophenoxy)-Propionic Acid (3-CPA) technical grade, 99%
Product Code	91145
CAS No	101-10-0
Use for	Laboratory Chemicals.
Company Name	Sisco Research Laboratories Pvt. Ltd.
Address	608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road, Andheri (E), Mumbai - 400 099, India

### Section 2 - Composition/Information on Ingredients

CAS#	Chemical Name	%	EINECS#
101-10-0	2-(3-Chlorophenoxy) -Propionic Acid	99	202-915-2

No components need to be disclosed according to the applicable regulations.

### Section 3 - Hazards Identification

### Risk advice to man and the environment

Not to hazardous substance or mixture(Non-Haz)

### Section 4 - First Aid Measures

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin: Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.
Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Inhalation: If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician
General advice: Consult a physician. Show this safety data sheet to the doctor in attendance.
Notes to Physician:
Section 5 - Fire Fighting Measures

Extinguishing Media

**Suitable:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Protective

Equipment For Firefighters: Wear self contained breathing apparatus for fire fighting if necessary.

Section 6 - Accidental Release Measures



# Safety Data Sheet

Product Code       91145         Personal precautions:       Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.         Environmental precautions:Prevent further leakage or spillage if safe to do so.       Do not         let product enter drains.       Methods for cleaning up:       Pick up and arrange disposal without creating dust. Keep in suitable, closed         containers for disposal.       Section 7 - Handling and Storage         Handling:       Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.         Storage:       8 to 25°C       Keep container tightly closed in a dry and well-ventilated place.         Section 8 - Exposure Control / Personal Protection       Personal Protective Equipment         Respiratory Protection:       Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).         Hand Protection:       The selected protective gloves have to satisfy the specifications of EU Directive		
Ensure adequate ventilation. Evacuate personnel to safe areas.         Environmental precautions:Prevent further leakage or spillage if safe to do so.       Do not         let product enter drains.       Methods for cleaning up:       Pick up and arrange disposal without creating dust. Keep in suitable, closed         containers for disposal.       Section 7 - Handling and Storage         Handling:       Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.         Storage:       8 to 25°C       Keep container tightly closed in a dry and well-ventilated place.         Section 8 - Exposure Control / Personal Protection       Personal Protective Equipment         Respiratory Protection:       Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
Environmental precautions:Prevent further leakage or spillage if safe to do so.       Do not         let product enter drains.       Methods for cleaning up:       Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.         Section 7 - Handling and Storage       Handling:       Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.         Storage:       8 to 25°C .Keep container tightly closed in a dry and well-ventilated place.         Section 8 - Exposure Control / Personal Protection         Personal Protective Equipment         Respiratory Protection:         Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
<ul> <li>let product enter drains.</li> <li>Methods for cleaning up: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.</li> <li>Section 7 - Handling and Storage</li> <li>Handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.</li> <li>Storage: 8 to 25°C .Keep container tightly closed in a dry and well-ventilated place.</li> <li>Section 8 - Exposure Control / Personal Protection</li> <li>Personal Protective Equipment</li> <li>Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).</li> </ul>		
Methods for cleaning up:       Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.         Section 7 - Handling and Storage         Handling:       Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.         Storage:       8 to 25°C         Keep container tightly closed in a dry and well-ventilated place.         Section 8 - Exposure Control / Personal Protection         Personal Protective Equipment         Respiratory Protection:       Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
<ul> <li>containers for disposal.</li> <li>Section 7 - Handling and Storage</li> <li>Handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.</li> <li>Storage: 8 to 25°C .Keep container tightly closed in a dry and well-ventilated place.</li> <li>Section 8 - Exposure Control / Personal Protection</li> <li>Personal Protective Equipment</li> <li>Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).</li> </ul>		
<ul> <li>Section 7 - Handling and Storage</li> <li>Handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.</li> <li>Storage: 8 to 25°C .Keep container tightly closed in a dry and well-ventilated place.</li> <li>Section 8 - Exposure Control / Personal Protection</li> <li>Personal Protective Equipment Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).</li> </ul>		
<ul> <li>Handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.</li> <li>Storage: 8 to 25°C .Keep container tightly closed in a dry and well-ventilated place.</li> <li>Section 8 - Exposure Control / Personal Protection</li> <li>Personal Protective Equipment</li> <li>Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).</li> </ul>		
exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. Storage: 8 to 25°C .Keep container tightly closed in a dry and well-ventilated place. Section 8 - Exposure Control / Personal Protection Personal Protective Equipment Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
preventive fire protection. Storage: 8 to 25°C .Keep container tightly closed in a dry and well-ventilated place. Section 8 - Exposure Control / Personal Protection Personal Protective Equipment Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
Storage:       8 to 25°C       .Keep container tightly closed in a dry and well-ventilated place.         Section 8 - Exposure Control / Personal Protection         Personal Protective Equipment         Respiratory Protection:       Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
Section 8 - Exposure Control / Personal Protection         Personal Protective Equipment         Respiratory Protection:       Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
Personal Protective Equipment         Respiratory Protection:       Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
Respiratory Protection:Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
Respiratory Protection:Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).		
such as NIOSH (US) or CEN (EU).		
<b>Head Protoction:</b> The selected protoctive gloves have to satisfy the specifications of EU Directive		
The selected protective gives have to satisfy the specifications of EO Directive		
89/686/EEC and the standard EN 374 derived from it. Handle with gloves.		
Eye Protection:     Safety glasses		
<b>Skin and body protection:</b> Choose body protection according to the amount and concentration of the		
dangerous substance at the work		
place.		
<b>Hygiene measures:</b> Avoid contact with skin, eyes and clothing. Wash hands before breaks and		
immediately after handling the product.		
Section 9 - Physical and Chemical Properties		
Physical State: Liquid		
Molecular Formula:C9H9O3ClMolecular Weight:200.62		
Melting point: 113-115??C-lit		
Section 10 - Stability and Reactivity		
Storage stability: Stable under recommended storage conditions.		
Materials to avoid:		
Hazardous decomposition		
Products formed under fire		

conditions. - No Data Avalible.



# **Safety Data Sheet**

www.srlchem.com

Product Code 91145

### Section 11 - Toxicological Information

Acute toxicity:	LD 50 Oral -Rat->750 mg/kg	
LD 50 Dermal -rabbit->2.000mg/kg		
Irritation and corrosion: No data available		
Sensitisation:	No data available	
Chronic exposure: IARC: No component of this product present at levels greater than or equal to 0.1%		
	is identified as probable, possible or confirmed human carcinogen by IARC.	
Signs And Symptoms		
Of Exposure:	No data available	
Route Of Exposure		
Inhalation:	No data available	
Skin : No	lo data available	
Eyes: No	data available	
Ingestion: No	data available	
Section 12 - Ecological Information		

No data available.

### Section 13 - Disposal Considerations

Product: Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.
 Contaminated packaging: Dispose of as unused product.

### Section 14 - Transport Information

IATAIMORID/ADRShipping Name:<br/>Hazard Class:<br/>UN Number:<br/>Packing Group:Not Regulated for Transport (Non-Haz)

### **Section 15 - Regulatory Information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.



www.srlchem.com

Product Code 91145

### Section 16 - Other Information

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.