

Review Date: 4-Oct-2023

Section 1 - Chemical Product and Company Identification

Product Name Cadmium Oxide pure, 99%

Product Code 29996 **CAS No** 1306-19-0

Use for Laboratory Chemicals.

Company Name Sisco Research Laboratories Pvt. Ltd.

Address 608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road,

Andheri (E), Mumbai - 400 099, India

Section 2 - Composition/Information on Ingredients

CAS# Chemical Name: % EINECS# 1306-19-0 Cadmium Oxide 99% 215-146-2

Section 3 - Hazards Identification

Special Indication Of Hazards To Humans And The Environment

May cause cancer. Very toxic by inhalation.

Toxic: Danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

Possible risk of impaired fertility. Possible risk of harm to the unborn child. Possible risk of irreversible effects. Very toxic to aquatic organisms, may

cause long-term adverse effects in the aquatic environment.

Section 4 - First Aid Measures

Inhalation: If inhaled, remove to fresh air. If not breathing give

artificial respiration. If breathing is difficult, give oxygen.

Section 5 - Fire Fighting Measures

Explosion Data

Dust Potential: This material, like most materials in powder

form, is capable of creating a dust explosion.

Extinguishing Media

Suitable: Noncombustible. Use extinguishing media appropriate to

surrounding fire conditions.

Special Protective

Equipment For Firefighters: Wear self-contained breathing apparatus and protective

Clothing to prevent contact with skin and eyes.

Section 6 - Accidental Release Measures



www.srlchem.com

Product Code 29996
Personal Precaution Procedures
To Be Followed In Case Of

Leak Or Spill: Evacuate area.

Procedure(S) Of Personal

Precaution(S): Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. Wear

disposable coveralls and discard them after use.

Methods For Cleaning Up: Sweep up, place in a bag and hold for waste disposal. Avoid raising dust.

Section 7 - Handling and Storage

Handling: Do not breathe dust. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated

exposure.

Storage: Keep tightly closed. Store in a cool dry place.

Section 8 - Exposure Control / Personal Protection

Engineering Controls: Use only in a chemical fume hood. Safety shower and eye bath.

General Hygiene Measures: Wash thoroughly after handling.

Exposure Limits - Denmark Source Type Value OEL TWA 0.01 mg/m3 Exposure Limits - Norway Source Type Value OEL 0.02 mg/m3

Remarks: KT

Exposure Limits-Switzerland Source Type Value OEL OEL 0.002 mg/m3

Remarks: A M K

Exposure Limits-UK Source Type Value OEL OEL 0.025 mg/m3

OEL STEL 0.05 mg/m3

Personal Protective Equipment

Special Protective Measures: Wear appropriate government approved respirator,

chemical-resistant gloves, safety goggles, other

protective clothing.

Section 9 - Physical and Chemical Properties

Physical State: Solid Molecular Formula: CdO Molecular Weight: 128.40

Section 10 - Stability and Reactivity

Materials to Avoid: Oxidizing agents.

Hazardous Decomposition

Products: Nature of decomposition products not known.



www.srlchem.com

Product Code

29996

Section 11 - Toxicological Information



www.srlchem.com

Product Code 29996

RTECS Number: EV1925000

Acute Toxicity

OralRat LD50 72 mg/kg 12 MG/KG LD50 IntraperitonealRat LD50 IntravenousRat 25 MG/KG LD50 OralMouse 72 mg/kg LC50 InhalationMouse 250 mg/m3 2H LD50 SubcutaneousMouse 94 MG/KG LC50 InhalationDog 4,000 mg/m3 10M LC50 InhalationMonkey 1,500 mg/m3 10M InhalationRabbit LC50 2,500 mg/m3 10M

3,500 mg/m3

10M

LD50 OralMammal 72 mg/kg

InhalationGuinea pig

Signs And Symptoms

Of Exposure: Damage to the kidneys. Damage to the lungs.

Route Of Exposure

Inhalation: Material is irritating to mucous membranes and upper

respiratory tract.

Multiple Routes: May be fatal if inhaled, swallowed, or absorbed

LC50

through skin. Causes eye and skin irritation.

Target Organ Information: Damage to the kidneys. Damage to the lungs. Kidneys. Lungs.

Chronic Exposure - Carcinogen

Result: Carcinogen.Rat

Route of Application: Subcutaneous

Result: Tumorigenic: Neoplastic by RTECS criteria. Tumorigenic: Tumors at site or application.

IARC Carcinogen List

Rating: Group 1 Chronic Exposure - Teratogen Species: Rat

Dose: 21640 UG/KG
Route of Application: Oral
Exposure Time: (1-19D PREG)

Result:

Effects on Embryo or Fetus: Fetal death. Effects on

Embryo or Fetus: Fetotoxicity (except death, e.g., stunted

fetus). Effects on Embryo or Fetus: Maternal-fetal exchange.

Species: Rat

Dose: 21640 UG/KG
Route of Application: Oral
Exposure Time: (1-19D PREG)

Result:



www.srlchem.com

Product Code 29996

Specific Developmental

Abnormalities: Cardiovascular (circulatory) system.

Effects on Newborn: Weaning or lactation index (e.g., # alive at weaning per # alive at day 4).

Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Species: Rat

Dose: 91 UG/M3

Route of Application: Inhalation Exposure Time: (1-19D PREG)

Result:

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Species: Rat

Dose: 2 MG/M3/6H

Route of Application: Inhalation Exposure Time: (4-19D PREG)

Result:

Specific Developmental

Abnormalities: Musculoskeletal system.

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Chronic Exposure - Reproductive Hazard

Species: Rat

Dose: 183 UG/M3/5H Route of Application: Inhalation

Exposure Time: (21W PRE/1-20D PREG)

Result:

Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Effects on Newborn: Viability index (e.g., # alive at day 4 per # born alive).

Species: Rat

Dose: 23 UG/M3/5H Route of Application: Inhalation

Exposure Time: (21W PRE/1-20D PREG)

Result: Effects on Newborn: Behavioral.

Species: Rat

Dose: 16 UG/M3/24H
Route of Application: Inhalation
Exposure Time: (1-21D PREG)

Result:

Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count).

Species: Mouse

Dose: 2 MG/M3/6H Route of Application: Inhalation Exposure Time: (4-17D PREG)

Result:



www.srlchem.com

Product Code 29996

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of

implants).

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental

Abnormalities: Musculoskeletal system.

Species: Mouse

Dose: 500 UG/M3/6H Route of Application: Inhalation Exposure Time: (4-17D PREG)

Result: Effects on Fertility: Mating performance (e.g., # sperm positive females per # females mated; #

copulations per # estrus cycles).

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

Substance Disposal: Contact a licensed professional waste disposal service to dispose of this material.

Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

	IATA	IMO	RID/ADR
Shipping Name:	Cadmium	Cadmium	Cadmium
	Compound	compound	compound
Hazard Class:	6.1	6.1	6.1
UN Number:	2570	2570	2570
Packing Group:	III	III III	

Section 15 - Regulatory Information

Classification And Labeling According To Eu Directives

Indication Of Danger: T+-N Very toxic. Dangerous for the environment.

R-Phrases: 45-26-48/23/25-62-63-68-50/53May cause cancer. Very toxic by inhalation. Toxic: danger of

serious damage to health by prolonged exposure through inhalation and if swallowed. Possible risk of impaired fertility. Possible risk of harm to the unborn child. Possible risk of irreversible effects. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-Phrases: 53-45-60-61 Avoid exposure - obtain special instructions before use. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment.



www.srlchem.com

Product Code 29996

Section 16 - Other Information

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.