

Safety Data Sheet

Review Date: 4-Oct-2023

Section 1 - Chemical Product and Company Identification

Ammonium Thiocyanate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% **Product Name**

Product Code CAS No 1762-95-4

Use for Laboratory Chemicals.

Sisco Research Laboratories Pvt. Ltd. **Company Name**

Address 608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road,

Andheri (E), Mumbai - 400 099, India

Section 2 - Composition/Information on Ingredients

CAS# **Chemical Name: EINECS#** 1762-95-4 <=100 Ammonium thiocyanate 217-175-6

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Harmful by inhalation, in contact with skin and if swallowed. Contact with acids liberates very toxic gas. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Potential Health Effects

Eve: May cause eye irritation.

May cause skin irritation. Harmful if absorbed through the skin. Skin:

Ingestion: Harmful if swallowed. Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation: Harmful if inhaled. Causes respiratory tract irritation.

Chronic:

Section 4 - First Aid Measures

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower

eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes.

Ingestion: Get medical aid. Wash mouth out with water.

Remove from exposure and move to fresh air immediately. If not breathing, give artificial Inhalation:

respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician:

Section 5 - Fire Fighting Measures

As in any fire, wear a self-contained breathing apparatus in pressure-demand, **General Information:**

MSHA/NIOSH (approved or equivalent), and full protective gear.

Use water spray, dry chemical, carbon dioxide, or chemical foam. **Extinguishing Media:**

Section 6 - Accidental Release Measures



Safety Data Sheet

www.srlchem.com

Product Code 70158

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Do not let this

chemical enter the environment.

Section 7 - Handling and Storage

Handling: Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Avoid ingestion and

inhalation.

Storage: Store in a cool, dry place. Store in a tightly closed container. Store protected from light.

Section 8 - Exposure Control / Personal Protection

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

Exposure Limits CAS# 1762-95-4:

United States OSHA: 5 mg/m3 TWA (Cyanide anion).

Germany: (cyanide anion): skin notation

Netherlands: (cyanide anion): 5 mg/m3 MAC (as CN)

Personal Protective Equipment

Eyes: Wear chemical splash goggles.

Skin: Wear appropriate protective gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms

are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Crystalline Powder

Color: white

Molecular Formula: CH4N2S Molecular Weight: 76.12

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures. Hygroscopic: absorbs moisture or

water from the air.

Conditions to Avoid: Incompatible materials, light, acids, exposure to moist air or water.

Incompatibilities with

Other Materials: Exposure to moist air or water, chlorates, lead nitrate, nitrates, nitric acid, organic

peroxides, peroxides, potassium chlorates, sodium chlorate.

Hazardous Decomposition

Products: Hydrogen cyanide, nitrogen oxides, carbon monoxide, oxides of sulfur, carbon dioxide,

ammonia and/or derivatives.

Hazardous Polymerization: Will not occur.

Section 11 - Toxicological Information



Safety Data Sheet

www.srlchem.com

Product Code 70158

RTECS#: CAS# 1762-95-4: XK7875000 LD50/LC50: RTECS: CAS# 1762-95-4:

Oral, mouse: LD50 = 500 mg/kg; Oral, mouse: LD50 = 720 mg/kg;

Oral, rat: LD50 = 750 mg/kg;

Carcinogenicity: Ammonium thiocyanate - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop

65.

Other: See actual entry in RTECS for complete information. The toxicological properties have not been

fully investigated.

Section 12 - Ecological Information

Other:

Do not empty into drains.

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

IATA IMO RID/ADR

Shipping Name: Not regulated Not regulated Not regulated

Hazard Class: UN Number: Packing Group:

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XN

Risk Phrases: R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed R 32 Contact with

acids liberates very toxic gas.R 52/53 Harmful to aquatic organisms, may

cause long-term adverse effects in the aquatic environment.

Safety Phrases: S 13 Keep away from food, drink and animal feeding stuffs. S 61 Avoid release to the

environment. Refer to special instructions/safety data sheets.

WGK (Water Danger/Protection)CAS# 1762-95-4: 1

Canada CAS# 1762-95-4 is listed on Canada's DSL List

US Federal

TSCA CAS# 1762-95-4 is listed on the TSCA Inventory.

Section 16 - Other Information

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.