



## Section 1 - Chemical Product and Company Identification

**Product Name** n-Propanol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%  
**Product Code** 53790  
**CAS No** 71-23-8  
**Use for** Laboratory Chemicals.  
**Company Name** Sisco Research Laboratories Pvt. Ltd.  
**Address** 608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Andheri (E), Mumbai - 400 099, India

## Section 2 - Composition/Information on Ingredients

CAS #	Chemical Name	%	EINECS
71-23-8	n-Propanol	99	200-746-9

No Components need to be disclosed according to the applicable regulations

## Section 3 - Hazards Identification

### Risk advice to man and the environment

Toxic if swallowed. Very toxic in contact with skin. Irritating to eyes, respiratory system and skin.

## Section 4 - First Aid Measures

**Eyes:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin:** Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

**Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**Inhalation:** If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

**General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance.

### Notes to Physician:

## Section 5 - Fire Fighting Measures

### Extinguishing Media

**Suitable:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special Protective

**Equipment For Firefighters:**Wear self contained breathing apparatus for fire fighting if necessary.

## Section 6 - Accidental Release Measures



**Product Code** 53790

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Avoid breathing dust.  
Ensure adequate ventilation. Evacuate personnel to safe areas.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not  
let product enter drains.

**Methods for cleaning up:** Pick up and arrange disposal without creating dust. Keep in suitable, closed  
containers for disposal.

## Section 7 - Handling and Storage

**Handling:** Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate  
exhaust ventilation at places where dust is formed. Normal measures for  
preventive fire protection.

**Storage:** Room Temperature. Keep container tightly closed in a dry and well-ventilated place.

## Section 8 - Exposure Control / Personal Protection

### Personal Protective Equipment

**Respiratory Protection:** Where risk assessment shows air-purifying respirators are appropriate use a  
full-face particle respirator type N99 (US) or type P2 (EN 143) respirator  
cartridges as a backup to engineering controls. If the respirator is the sole  
means of protection, use a full-face supplied air respirator. Use respirators  
and components tested and approved under appropriate government standards  
such as NIOSH (US) or CEN (EU).

**Hand Protection:** The selected protective gloves have to satisfy the specifications of EU Directive  
89/686/EEC and the standard EN 374 derived from it. Handle with gloves.

**Eye Protection:** Safety glasses

**Skin and body protection:** Choose body protection according to the amount and concentration of the  
dangerous substance at the work  
place.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. Wash hands before breaks and  
immediately after handling the product.

## Section 9 - Physical and Chemical Properties

**Physical State:** Liquid  
**Molecular Formula:** C<sub>3</sub>H<sub>8</sub>O  
**Molecular Weight:** 60.10  
**Melting point:** 127 °C - lit  
**Boiling Point:** 97 °C - lit.  
**Flash Point:** 22 °C - closed cup

## Section 10 - Stability and Reactivity



[www.srlchem.com](http://www.srlchem.com)

**Product Code** 53790

**Storage stability:** Stable under recommended storage conditions.

**Materials to avoid:**

**Hazardous decomposition**

**Products formed under fire**

**conditions.** - Carbon oxides,

## Section 11 - Toxicological Information

Acute toxicity: LD50 Oral - Rat - 8,038 mg/kg

LC50 Inhalation - Rat - 1 h - 20000 ppm

LC50 Dermal - Rabbit - 4,000 mg/kg

Irritation and corrosion: No data available

Sensitisation: No data available

Chronic exposure: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Signs And Symptoms

Of Exposure: No data available

Route Of Exposure

Inhalation: No data available

Skin : No data available

Eyes: No data available

Ingestion: No data available

## Section 12 - Ecological Information

No data available.

## Section 13 - Disposal Considerations

**Product:** Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

**Contaminated packaging:** Dispose of as unused product.

## Section 14 - Transport Information

	IATA	IMO	RID/ADR
<b>Shipping Name:</b>	n-PROPANOL.		
<b>Hazard Class:</b>	3	3	
<b>UN Number:</b>	1274	1274	1274
<b>Packing Group:</b>	II	II	

## Section 15 - Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

# Safety Data Sheet

[www.srlchem.com](http://www.srlchem.com)

---

**Product Code**            53790

## **Section 16 - Other Information**

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.