

# **Safety Data Sheet**

Review Date: 4-Oct-2023

#### www.srlchem.com

# Section 1 - Chemical Product and Company Identification

Product Name	Ammonium Persulphate (APS) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%
Product Code	29534
CAS No	7727-54-0
Use for	Laboratory Chemicals.
Company Name	Sisco Research Laboratories Pvt. Ltd.
Address	608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road, Andheri (E), Mumbai - 400 099, India

# Section 2 - Composition/Information on Ingredients

CAS#	Chemical Name:	% E	INECS#
7727-54-0	Ammonium persulfate	<=100%	231-786-5

# Section 3 - Hazards Identification

## **Potential Health Effects**

Eye: Causes eye irritation.
 Skin: Causes skin irritation. May cause dermatitis. May cause sensitization by skin contact.
 Ingestion: Harmful if swallowed. May cause irritation of the digestive tract.
 Inhalation: Causes respiratory tract irritation. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. May cause respiratory sensitization.

**Chronic:** 

## Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.
Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Ingestion: Get medical aid. Wash mouth out with water.
Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

**Notes to Physician:** Treat symptomatically and supportively.

## **Section 5 - Fire Fighting Measures**

**General Information:** fire. self-contained breathing As in anv wear a apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Strong oxidizer. Contact with other material may cause fire. This material in sufficient quantity and reduced particle size is capable of creating a dust explosion. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

**Extinguishing Media:** Use extinguishing media most appropriate for the surrounding fire.



www.srlchem.com

Product Code 29534

## **Section 6 - Accidental Release Measures**

**General Information:** Use proper personal protective equipment as indicated in Section 8. **Spills/Leaks:** Vacuum or sweep up material and place into a suitable disposal container. Provide ventilation. Do not let this chemical enter the environment.

# Section 7 - Handling and Storage

Handling: Use with adequate ventilation. Minimize dust generation and accumulation. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

Storage: Do not store near combustible materials. Store in a cool, dry place. Store in a tightly closed

container.

# Section 8 - Exposure Control / Personal Protection

<b>Engineering Controls:</b>	Facilities storing or utilizing this material should be equipped with an			
	eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.			
	an borne concentrations low.			
Exposure Limits	CAS# 7727-54-0:			
Belgium - TWA: 0.1 mg/m3 VLE				
	Malaysia: 0.1 mg/m3 TWA			
	Netherlands: 1 mg/m3 MAC (as S2O8)			
	Spain: 0.1 mg/m3 VLA-ED			

## **Personal Protective Equipment**

**Eyes:** Wear chemical splash goggles.

Skin: Wear appropriate protective gloves to prevent skin exposure.

**Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Respirators:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are

exceeded or if irritation or other symptoms are experienced.

# **Section 9 - Physical and Chemical Properties**

<b>Physical State:</b>	Cry	stalline powder
Color:	white	
Specific Gravity/I	Density:	1.980 g
Molecular Formu	H8N2O8S2	
<b>Molecular Weight:</b>	228.20	

Section 10 - Stability and Reactivity



#### www.srlchem.com

	chemicon		
Produc	t Code	29534	
	Chemical St Conditions t		Moisture sensitive. Incompatible materials, combustible materials, heating to decomposition, exposure to moist air or water.
	Incompatibi	lities with	1
	Other Mater	rials: N	Metals, strong oxidizing agents, aluminum, copper, iron, magnesium, peroxides, sodium peroxide, zinc, silver salts, hydrogen peroxide, alkalies, lead, silver, nickel, combustible materials.
	Hazardous I	Decomposi	tion
			oxides (NOx) and ammonia (NH3), sulfur oxides (SOx), including sulfur oxide and sulfur dioxide.
Hazard	lous Polymer	ization : W	/ill not occur.
Section	n 11 - Toxicol	logical Inf	ormation
	RTECS#:	CA	AS# 7727-54-0: SE0350000
	LD50/LC50:		RTECS:CAS# 7727-54-0:
			Oral, rat: $LD50 = 689 \text{ mg/kg};$
	Other:	Or	al rat LD50 = 495 mg/kg
	0 11111	01	Oral rat LD50 = $400-800 \text{ mg/kg}$
			Skin rat LD50 = $2000 \text{ mg/kg}$
			Ames test (bacteria): negative
			Eye rabbit: no irritation (OECD 405)
			Skin rabbit: no irritation (OECD 404)
			Sensibilization guinea pig: positive (OECD 406)
			Sensionization guinea pig. positive (OECD 400)

**Carcinogenicity:** Ammonium persulfate - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

**Other:** See actual entry in RTECS for complete information

**Section 12 - Ecological Information** 

NO DATA AVAILABLE

# Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

# **Section 14 - Transport Information**

	IA	ТА	IM	0	RID/ADR	
Shipping Name:	Ammonium		Ammonium		Ammonium	
	Per	sulphate		Persulphate	e Persulphate	
Hazard Class:	5.1	5.1		5.1		
<b>UN Number:</b>	1444		1444	144	44	
Packing Group: III		III	III			

**Section 15 - Regulatory Information** 



## www.srlchem.com

Produc	t Code 2	29534		
	European/Inte	ernational Regulations		
	European Labe	ling in Accordance with EC Directives		
	Hazard Symbol	ls: XN O		
	Risk Phrases:	R 22 Harmful if swallowed.R 36/37/38 Irritating to eyes, respiratory system and skin.R 42/43 May cause sensitization by inhalation and skin contact.R 8 Contact with combustible material may cause fire.		
	Safety Phrases:	S 22 Do not breathe dust.S 24 Avoid contact with skin.S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.S 37 Wear suitable gloves.		
	WGK (Water Danger/Protection)CAS# 7727-54-0: 1			
	Canada	CAS# 7727-54-0 is listed on Canada's DSL List		
	<b>US Federal</b>			
TSCA	CAS#	7727-54-0 is listed on the TSCA Inventory.		

# Section 16 - Other Information

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.