



11475

Strepto Supplement

Part D

Specifications

Appearance (Colour)	White, fine powder
Solubility	Soluble in 0.2 N Sodium hydroxide
Cultural Response	Inoculate and incubate at $35 \pm 2^\circ\text{C}$ for 18-24 hours (Aseptically, add the rehydrated contents of 1 vial of Strepto Supplement (11475) as per direction)
Organism	Staphylococcus aureus ATCC 25923
Inoculum (cfu) 10-100	Growth : Good Haemolysis : Beta
Organism	Staphylococcus aureus ATCC 6538
Inoculum (cfu) 10-100	Growth : Good Haemolysis : Beta
Organism	Staphylococcus epidermidis ATCC 12228
Inoculum (cfu) 10-100	Growth : Good Haemolysis : Gamma
Organism	Clostridium sporogenes ATCC 11437
Inoculum (cfu) 10-100	Growth : Good Haemolysis : None
Organism	Clostridium perfringens ATCC 13124
Inoculum (cfu) 10-100	Growth : Good Haemolysis : None
Organism	Escherichia coli ATCC 25922
Inoculum	Growth : Inhibited

Other Information

Applications

Used for the selection of Streptococcus species.

Composition

Nalidixic acid	3.75 mg/vial
Neomycin sulphate	1.06 mg/vial
Polymyxin B sulphate	8500 units/vial

General Information

Storage	2 to 8°C (Refrigerate)
Shelf Life	24 Months
IMDG Identification	Not Regulated for Transport (Non-Haz)
HSN Code	
5 vl	38229090 (GST 12%)

Available Packages

5 vI

5 x5 vI

Disclaimer

The information represented here may/may not represent the entire product specification, application or protocol recommended by Sisco Research Laboratories Pvt. Ltd. (SRL). This information is for the user scientists or trading community as a guide in their applications. The company claims no liability for misuse resulting due to wrong usage of the information above. For actual batch related documents, mail us.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099, Maharashtra, India. Telephone: +91-22-4268 5800, Email: info@srchem.com, website www.srchem.com
