

## 19427

# Sabouraud Dextrose Agar (U/P)(I/P)

#### Part D

Specifications	
Appearance (Colour)	Light biege
Appearance (Form)	Free flowing, homogeneous powder
Solubility	65.00 gm/liter
Solubility before autoclaving (Clarity)	Very slightly opalescent
Gel strength (1.5% gel)	Firm, comparable with 1.5% Agar gel
pH (25°C)	$5.6 \pm 0.2$
Prepared Medium Appearance after autoclaving (Clarity)	Very slightly opalescent
Prepared Medium Appearance after autoclaving (Colour)	Light amber
Cultural Response	Inoculate and incubate at $30 \pm 2^{\circ}$ C for 18-48 hours or upto 7 days
Organism	Candida albicans ATCC 10231
Inoculum (cfu) 10-100	Growth : Good
Organism	Aspergillus niger ATCC 16404
Inoculum (cfu) 10-100	Growth: Good
Organism	Saccharomyces cerevisiae ATCC 9763
Inoculum (cfu) 10-100	Growth: Good

## **Other Information**

### **Applications**

For the cultivation of dermatophytes, yeasts and filamentous fungi.

Composition	
Ingredients	gm/lt.
Glucose	40.00
Pancreatic digest of casein	5.00
Peptic digest of animal tissue	5.00
Agar	15.00

#### **Directions**

- Add 65.00 gm powder to distilled/purified water.
  Bring volume to 1.0 litre and mix thoroughly.
- 3. Gently heat and bring to boiling.
- 4. Autoclave at 15 psi pressure at 121°C for 15 minutes.
- 5. Dispense into sterile petri plates.

## **General Information**

Storage	8 to 25°C (Cool & Dry Area)
Shelf Life	36 Months

IMDG Identification	Not Regulated for Transport (Non-Haz)
HSN Code	
100 Gms	38210000 (GST 18%)
500 Gms	38210000 (GST 18%)
Type of Packing	
100 Gms	Plastic Bottle

# **Available Packages**

100 Gms

500 Gms