



25844

## Kligler Iron Agar BioVeg

Part D

### Specifications

Appearance (Colour)	Light pink
Appearance (Form)	Free flowing, homogeneous powder
Solubility	57.52 gm/liter
pH (25°C)	7.4 ± 0.2
Prepared Medium Appearance after autoclaving (Clarity)	Clear to very slightly opalescent
Prepared Medium Appearance after autoclaving (Colour)	Red
Cultural Response	Inoculate and incubate at 37°C for 18 - 24 hours
Organism	Escherichia coli ATCC 25922
Inoculum (cfu) 10-100	Growth : Good Slant : A Butt : A Gas : (+)ve H2S : ( - ) ve
Organism	Enterobacter aerogenes ATCC 13048
Inoculum (cfu) 10-100	Growth : Good Slant : A Butt : A Gas : (+)ve H2S : ( - ) ve Gas : (+) ve
Organism	Salmonella typhimurium ATCC 14028
Inoculum (cfu) 10-100	Growth : Good Slant : K Butt : A Gas : (+) ve H2S : ( + ) ve Gas : (+) ve
Organism	Klebsiella pneumoniae ATCC 13883
Inoculum (cfu) 10-100	Growth : Good Slant : A Butt : A Gas : ( + )ve H2S : ( - ) ve
Organism	Pseudomonas aeruginosa ATCC 27853
Inoculum (cfu) 10-100	Growth : Good Slant : K Butt : K Gas : ( - )ve H2S : ( - ) ve
Organism	Proteus vulgaris ATCC 13315
Inoculum (cfu) 10-100	Growth : Good Slant : K Butt : A Gas : ( - ) ve H2S : (+) ve
Organism	Shigella flexneri ATCC 12022

Inoculum (cfu) 10-100	Growth : Good Slant : K Butt : A Gas : (-) ve H2S : (-) ve
Organism	Salmonella typhi ATCC 6539
Inoculum (cfu) 10-100	Growth : Good Slant : K Butt : A Gas : (-)ve H2S : (+)ve
Organism	Salmonella Paratyphi A ATCC 5006
Inoculum (cfu) 10-100	Growth : Good Slant : K Butt : A Gas : (+) ve H2S :(-)ve
Organism	Salmonella enteritidis ATCC 13076
Inoculum (cfu) 10-100	Growth : Good Slant : K Butt : K Gas : (+) ve H2S : (+) ve
Key	A = acidic, yellow; K = alkaline, no change; Gas = (+) splitting and cracking of the medium, Gas = (-) no splitting and cracking of the medium, H2S = (+) black precipitate; H2S = (-) no black precipitate

## Other Information

### Applications

For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H2S.

### Composition

Ingredients	gm/lt.
Veg. Peptone	15.00
Veg. Extract	3.00
Yeast extract	3.00
Veg. Peptone No.3	5.00
Sodium chloride	5.00
Dextrose	1.00
Ferrous sulphate	0.20
Sodium thiosulphate	0.30
Phenol Red	0.024
Lactose	10.0
Agar	15.00

### Directions

1. Add 57.52 gm powder to distilled/purified water.
2. Bring volume to 1.0 litre and mix thoroughly.
3. Gently heat and bring to boiling.
4. Dispense into test tubes.
5. Autoclave at 15 psi pressure at 121°C for 15 minutes.

## General Information

Storage	8 to 25°C (Cool & Dry Area)
Shelf Life	36 Months
IMDG Identification	Not Regulated for Transport (Non-Haz)
HSN Code	
100 Gms	38210000 (GST 18%)
500 Gms	38210000 (GST 18%)
Type of Packing	

100 Gms

Plastic Bottle

### Available Packages

100 Gms

500 Gms

---

#### Disclaimer

The information represented here may/may not represent the entire product specification, application or protocol recommended by Sisco Research Laboratories Pvt. Ltd. (SRL). This information is for the user scientists or trading community as a guide in their applications. The company claims no liability for misuse resulting due to wrong usage of the information above. For actual batch related documents, mail us.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099, Maharashtra, India. Telephone: +91-22-4268 5800, Email: [info@srchem.com](mailto:info@srchem.com), website [www.srchem.com](http://www.srchem.com)

---