

## 51521

# Oxytetra Selective Supplement (50mg/vl)

Part D

Specifications	
Appearance (Colour)	White, fine powder
Solubility	Soluble in distilled water
Cultural Response	Inoculate and incubate at 35 ± 2° 18-24 hours. (Aseptically add the rehydrated contents of 1 vial of Oxytetra Selective Supplement a direction)
Organism	Aspergillus niger ATCC 16404
Inoculum (cfu) 10-100	Growth : Good
Organism	Saccharomyces cerevisiae ATC0
Inoculum (cfu) 10-100	Growth : Good
Organism	Escherichia coli ATCC 25922
Inoculum	Growth : Inhibited

### **Other Information**

#### **Applications**

Used for the selective isolation of yeasts and moulds.

Composition

Oxytetracycline 50.00 mg/vial

#### Directions

- 1. Aseptically add 5 ml of sterile distilled water to 1 vial.
- 2. Mix well and aseptically add to sterile cooled media at 45-50°C and pour in petriplates.
- 3. Add 5 ml (1 vial) of Oxytetra selective supplement to 500 ml of Oxytetra Glucose Yeast Extract Agar (13566), Oxytetra Glucose Yeast Extract Agar w/Biotin, ChroMed OGYE Agar Base (I)(90219).

#### **General Information**

Storage	2 to 8°C (Refrigerate)
Shelf Life	24 Months
IMDG Identification	Not Regulated for Transport (Non-Haz)
HSN Code	
5 vl	38229090 (GST 12%)
5 x5 vl	38229090 (GST 12%)

# Available Packages 5 vl

5 x5 vl

# Disclaimer