



78162

## Ampicillin Supplement (10mg/vl)

Part D

### Specifications

Appearance (Colour)	White to off-white powder
Cultural Response	Cultural characteristics are observed after 24-48 hours at 30°C on SA Agar Base using Ampicillin Supplement.
Organism	Aeromonas hydrophila ATCC 7966
Inoculum (cfu) 10-100	Growth : good Starch hydrolysis: (+)ve, clear zone around the colony
Organism	Escherichia coli ATCC 25922
Inoculum	$\geq 10^3$ Growth: poor-fair Starch hydrolysis: - (no clearing)
Organism	Staphylococcus aureus ATCC 25923
Inoculum	$\geq 10^3$ Growth: Inhibited Starch hydrolysis: -

### Other Information

#### Applications

For the selective isolation of Aeromonas species.

#### Ingredients

Ampicillin 10.0mg/vial

#### Directions

1. Aseptically add 5.0ml of sterile distilled water to 1 vial.
2. Mix well and aseptically add to sterile cooled media at 45-50°C and pour in petriplates.
3. In the following 1000ml media, add 5.0ml.

Media Used:-

SA Agar Base, M-Aeromonas Selective Agar Base, Aeromonas Starch DNA Agar Base.

### General Information

Storage	2 to 8°C (Refrigerate)
Shelf Life	24 Months
IMDG Identification	Not Regulated for Transport (Non-Haz)
HSN Code	
5 vl	38229090 (GST 12%)

### Available Packages

#### Disclaimer

The information represented here may/may not represent the entire product specification, application or protocol recommended by Sisco Research Laboratories Pvt. Ltd. (SRL). This information is for the user scientists or trading community as a guide in their applications. The company claims no liability for misuse resulting due to wrong usage of the information above. For actual batch related documents, mail us.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099, Maharashtra, India. Telephone: +91-22-4268 5800, Email: info@srchem.com, website www.srchem.com