

## 88393

# Plate Count Agar (B/S)

Part D

Specifications	
Appearance (Colour)	Light biege
Appearance (Form)	Free flowing, homogeneous powder
Solubility	30.00 gm/liter
Solubility before autoclaving (Clarity)	Clear to slightly opalescent
Gel strength	Firm, comparable with 1.5% agar gel
pH (25°C)	$7.0 \pm 0.2$
Prepared Medium Appearance after autoclaving (Clarity)	Clear to slightly opalescent
Prepared Medium Appearance after autoclaving (Colour)	Light to medium amber
Cultural Response	Inoculate and incubate at 35-37°C for 18-24 hours
Organism	Staphylococcus aureus ATCC 25923
Inoculum (cfu) 10-100	Growth: Good, Recovery Rate:>=70%
Organism	Streptococcus pyogenes ATCC 19615
Inoculum (cfu) 10-100	Growth: Good, Recovery Rate:>=70%
Organism	Bacillus subtilis ATCC 6633
Inoculum (cfu) 10-100	Growth: Good, Recovery Rate:>=70%
Organism	Enterococcus faecalis ATCC 29212
Inoculum (cfu) 10-100	Growth: Good, Recovery Rate:>=70%
Organism	Escherichia coli ATCC 25922
Inoculum (cfu) 10-100	Growth: Good, Recovery Rate:>=70%
Organism	Lactobacillus casei ATCC 9595
Inoculum (cfu) 10-100	Growth : Good, Recovery Rate :>=70%

## **Other Information**

#### **Applications**

Used for determination of plate counts of microorganisms in milk and dairy products by pour plate technique or spread plate technique.

Composition	
Ingredients	gm/lt.
Agar	15.00
Pancreatic digest of casein	5.00
Yeast extract	2.50
Dextrose	1.00
Sodium chloride	6.50

**Directions** 

- 1. Add 30.00 gm powder to 1.0 liter distilled/purified water and mix thoroughly.
- 2. Gently heat and bring to boiling.3. Autoclave at 15 psi pressure at 121°C for 15 minutes.

## **General Information**

Storage	8 to 25°C (Cool & Dry Area)
Shelf Life	36 Months
IMDG Identification	Not Regulated for Transport (Non-Haz)
HSN Code	
100 Gms	38210000 (GST 18%)
500 Gms	38210000 (GST 18%)
Type of Packing	
500 Gms	Plastic Bottle

## **Available Packages**

100 Gms

500 Gms