

92096

Perfringens S.F.P. Supplement (S.F.P. Supplement)

Part D

Escherichia coli ATCC 25922

Growth: Inhibited

15,000 IU/vial

Other Information

Applications

Organism

Inoculum

Used for the selective isolation of clostridium perfringens.

Composition	
Kanamycin Sulphate	6.00 mg/vial

Directions

Polymixin B

- 1. Aseptically add 2 ml of sterile distilled water to 1 vial.
- 2. Mix well and aseptically add to sterile cooled media at 45-50°C and pour in petriplates.
- 3. Add 2 ml (1 vial) of Perfringens S.F.P. supplement to 475 ml of Perfringens Agar Base (T.S.C/S.F.P.) or S.F.P. Agar Base (11580) along with 25 ml of egg yolk emulsion.

General Information

Storage	2 to 8°C (Refrigerate)
Shelf Life	24 Months
IMDG Identification	Not Regulated for Transport (Non-Haz)
HSN Code	
4 x5 vl	38229090 (GST 12%)
5 vl	38229090 (GST 12%)

Available Packages 5 vl

4 x5 vl

Disclaimer

The information represented here may/may not represent the entire product specification, application or protocol recommended by Sisco Research Laboratories Pvt. Ltd. (SRL). This information is for the user scientists or trading community as a guide in their applications. The company claims no liability for misuse resulting due to wrong usage of the information above. For actual batch related documents, mail us.