



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>74078 - Glycogen ex. Oyster extrapure, 85% - [9005-79-2]</b>
<b>Batch No</b>	<b>1392372</b>
<b>Analysis Date</b>	28-Aug-2022
<b>Date of Manufacture</b>	August 2022
<b>Expiry Date/Re-Test Date</b>	August 2027
<b>Molecular Formula</b>	(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	White
Appearance (Form)	Powder	Powder
Assay	min.85%	95.3%
Loss on drying	max.10%	5.4%
Reducing sugars	Passes test	Passes

FRM/82/11/4/74078 Rev No. 1 Date 12/16/2017

Prepared by Amruta

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015 Certified Company](#)