



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	10459 - 1-Bromopentane pure, 98% - [110-53-2]
Batch No	1666244
Analysis Date	26-Nov-2022
Date of Manufacture	November 2022
Expiry Date/Re-Test Date	November 2027
Molecular Formula	C5H11Br
Molecular Weight	151.05

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.93%
Density (g/ml) @ 20°C	1.215-1.218	1.215
Refractive Index (20°C)	1.443-1.444	1.443
Boiling Range	127-129°C	127-129°C
Stabilizer (Ag wire)	Present	Present

FRM/82/11/2/10459 Rev No. 1 Date 05/23/2018

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.