



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	18962 - Phenyl Isothiocyanate (PITC) extrapure AR, 99% - [103-72-0]
Batch No	1923509
Analysis Date	06-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2029
Molecular Formula	C7H5NS
Molecular Weight	135.19

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Almost colourless to yellow	Yellow
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.95%
Density (g/ml) @ 20°C	1.130-1.132	1.130
Refractive Index (20°C)	1.649-1.650	1.649
Water (KF)	max. 0.1%	0.09%

FRM/82/11/2/18962 Rev No. 1 Date 11/28/2017

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.