



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	78487 - Butyl Acetate GC-HS, 99.9% - [123-86-4]
Batch No	2529065
Analysis Date	23-Oct-2022
Date of Manufacture	October 2022
Expiry Date/Re-Test Date	October 2027
Molecular Formula	C ₆ H ₁₂ O ₂
Molecular Weight	116.16

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 10	Passes
Assay (GC)	min. 99.9%	99.91%
Density (g/ml) @ 20°C	0.880-0.882	0.880
Refractive Index (20°C)	1.394-1.395	1.394
Boiling Range	124-126°C	124-126°C
Non Volatile Matter	max. 0.001%	0.0005%
Acidity (CH ₃ COOH)	max. 0.005%	0.002%
Water	max. 0.1%	0.06%

FRM/82/11/2/78487 Rev No. 1 Date 10/16/2018

Prepared by Nilam Halgekar

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.