



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	10674 - Ethyl Iodide extrapure, 99% - [75-03-6]
Batch No	2721610
Analysis Date	26-Jun-2022
Date of Manufacture	June 2022
Expiry Date/Re-Test Date	June 2027
Molecular Formula	C ₂ H ₅ I
Molecular Weight	155.97

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 30	Passes
Assay (GC)	min. 99%	99.95%
Density (g/ml) @ 20°C	1.920-1.930	1.920
Refractive Index (20°C)	1.512-1.514	1.512
Boiling Range	71-73°C	71-73°C
Stabilizer	silver wire	Present

FRM/82/11/2/10674 Rev No. 1 Date 01/11/2015

Prepared by **Rajashri**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)