



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product 99515 - Benzene extrapure (Sulphur free), 99% -
[71-43-2]
Batch No 3011928
Analysis Date 21-Dec-2023
Date of Manufacture December 2023
Expiry Date/Re-Test Date December 2028
Molecular Formula C6H6
Molecular Weight 78.11

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.96%
Density (g/ml) @ 20°C	0.878 - 0.879	0.878
Refractive Index (20°C)	1.499 - 1.501	1.499
Boiling Range	80 - 81°C	80 - 81°C
Sulphur Compound (CS2)	max. 0.001%	Passes
Water (KF)	max. 0.1%	0.03%

FRM/82/11/2/99515 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.