



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	90739 - Uric Acid extrapure AR, 99% - [69-93-2]
Batch No	3593144
Analysis Date	08-Oct-2022
Date of Manufacture	October 2022
Expiry Date/Re-Test Date	October 2027
Molecular Formula	C ₅ H ₄ N ₄ O ₃
Molecular Weight	168.11

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off - white	White
Appearance (Form)	Crystalline compound	Crystalline compound
Solubility (Turbidity) 5% solution in hot 1N NaOH	Clear	Clear
Solubility (Colour) 5% solution in hot 1N NaOH	Colourless to pale yellow	Colourless
Assay (T)	min. 99%	99.03%
Sulphated Ash	max. 0.1%	0.1%
Water (KF)	max. 0.5%	0.03%

FRM/82/11/4/90739 Rev No. 2 Date 26/02/2022

Prepared by **Dhanashree**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.